WEST Search History for Application 10585558

Creation Date: 2011021113:25

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
7275425.pn.	USPT	ADJ	YES		08-17-2010
7765042.pn.	USPT	ADJ	YES		08-17-2010
(374/4, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 5, 148, 166, 1;702/99;)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
4774910.pn.	USPT	ADJ	YES		08-17-2010
2004184507	PGPB	ADJ	YES		08-17-2010
20040184507	PGPB	ADJ	YES		08-17-2010
374/$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/$.ccls.) and (engine near cool$3 near temperature)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/4, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 5, 148, 166, 1;702/99;165/42, 58, FOR 101, 27, DIG6;123/41.01, 41.05, 41.12, 41.13, 41.15, 350, 359, 378;73/114.68, 114.77, FOR 110;701/34, 97)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
(374/4, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 5, 148, 166, 1;702/99;701/34, 97;123/41.01, 41.05, 41.12;41.13, 41.15, 350, 359, 378;73/114.68, 114.77;165/42, 58, 27)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010

(374/4, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 5, 148, 166, 1;702/99;701/34, 97;123/41.01, 41.05, 41.12;41.13, 41.15, 350, 359, 378;73/FOR 110, 114.68, 114.77;165/42, 58, 27, FOR 101, DIG6)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
(374/101, 102, 103, 4, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 5, 148, 166, 1;702/99, 130;701/34, 97;123/41.01, 41.05, 41.12;41.13, 41.15, 350, 359, 378;73/114.68, 114.77;165/42, 58, 27;60/272, 277, 286, 320;)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
(gradient or profile or distribution) near (cool$3)	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
((gradient or profile or distribution) near (cool$3)) and ((374/101, 102, 103, 4, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 5, 148, 166, 1;702/99, 130;701/34, 97;123/41.01, 41.05, 41.12;41.13, 41.15, 350, 359, 378;73/114.68, 114.77;165/42, 58, 27;60/272, 277, 286, 320;)![CCLS])	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
(fault$1 or failure or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor)	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
((fault$1 or failure or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor)) and ((gradient or profile or distribution) near (cool$3) and (374/101, 102, 103, 4, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 5, 148, 166, 1;702/99, 130;701/34, 97;123/41.01, 41.05, 41.12;41.13, 41.15, 350, 359, 378;73/114.68, 114.77;165/42, 58, 27;60/272, 277, 286, 320;)![CCLS])	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
(gradient or profile or distribution) near (cool$3) near (temperature)	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
(fault$1 or failure or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality) same (sens$3 or detect$3 or probe or transducer or	PGPB, USPT, USOC, EPAB,	ADJ	YES		08-17-2010

gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine)	JPAB				
((fault$1 or failure or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine)) and ((gradient or profile or distribution) near (cool$3) near (temperature))	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
Joachim	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
Joachim Stefan	PGPB, USPT	ADJ	YES		08-17-2010
Joachim Stefan	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES		08-17-2010
(Joachim Stefan)	PGPB	ADJ	YES		08-17-2010
joachim	PGPB	ADJ	YES		08-17-2010
4426494	EPAB, JPAB, DWPI	ADJ	YES		08-17-2010
374/145	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(fault$1 or failure or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
		ADJ	YES		08-17-2010

((fault$1 or failure or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine)) and ((gradient or profile or distribution) near (cool$3) near (temperature))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(374/145) and ((gradient or profile or distribution) near (cool$3) near (temperature))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/145) and (cool$3 same gradient)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/145) and ((gradient or profile or distribution) near (cool$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/145) and (gradient or distribution or profile or zone$1 or spacially or space or distance)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/145) and (gradient or distribution or profile or zone$1 or spatially or space or distance)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/145 and (gradient or distribution or profile or zone$1 or spatially or space or distance)) and (temperature)	PGPB, USPT, USOC,	ADJ	YES		08-17-2010

	EPAB, JPAB, DWPI, TDBD				
(374/145) and (gradient or distribution or profile or zone$1 or spatial$2 or space or distance)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(374/145) and (gradient or distribution or profile or zone$1 or spatial$2 or space or distance or thermal path or temperature path or different locations)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(engine) same (cool$3 near water) same (temmperature or thermal$2) same (gradient or profile or distribution)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(engine) same (cool$3 near water) same (temperature or thermal$2) same (gradient or profile or distribution)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
((engine) same (cool$3 near water) same (temperature or thermal$2) same (gradient or profile or distribution)) and ((fault$1 or failure or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(fault$1 or fail$3 or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality or reliab$4 or performance) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3	PGPB, USPT, USOC, EPAB, JPAB,	ADJ	YES		08-17-2010

or thermocouple$1 or thermistor) and (engine or turbine)	DWPI, TDBD				
((fault$1 or fail$3 or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality or reliab$4 or performance) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine)) and ((engine) same (cool$3 near water) same (temperature or thermal$2) same (gradient or profile or distribution))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(fault$1 or fail$3 or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality or reliab$4 or performance) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine) and (oil near temperature)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
((fault$1 or fail$3 or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality or reliab$4 or performance) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine) and (oil near temperature)) and (critical near voltage)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
(fault$1 or fail$3 or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality or reliab$4 or performance) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine) and (oil near temperature) and (hydraulic near control$3) and (automatic near transmission)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
((fault$1 or fail$3 or defect or malfunction$3 or dislodg$4 or deteriorat$2 or abnormal$3 or fatigue or leak$3 or ageing or aging or wear or functionality or quality or reliab$4 or performance) same (sens$3 or detect$3 or probe or transducer or gauge or meter$3 or thermocouple$1 or thermistor) and (engine or turbine) and (oil near temperature) and (hydraulic near control$3) and (automatic near transmission)) and (cool$3 near temperature)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-17-2010
5121714.pn.	USPT	ADJ	YES		08-17-2010
5848381.pn.	USPT	ADJ	YES		08-17-2010

(701/34, 63, 66, 76, 92;123/41.08, 41.2, 41.05;706/12;374/1, 141, 142, 144, 147, 148,)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
((701/34, 63, 66, 76, 92;123/41.08, 41.2, 41.05;706/12;374/1, 141, 142, 144, 147, 148,)![CCLS]) and (oil near temperature)	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		08-17-2010
(374/4, 44, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 148, 5, 166, 1;702/99;165/42, 58, 27, FOR101, DIG6;123/41.01, 41.05, 41.12, 41.13, 41.15, 350, 359, 378;73/114.68, 114.77;701/34, 97;60/272, 277, 286, 320;702/130)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		01-25-2011
((374/4, 44, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 148, 5, 166, 1;702/99;165/42, 58, 27, FOR101, DIG6;123/41.01, 41.05, 41.12, 41.13, 41.15, 350, 359, 378;73/114.68, 114.77;701/34, 97;60/272, 277, 286, 320;702/130)![CCLS]) and (oil temperature)	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		01-25-2011
((374/4, 44, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 148, 5, 166, 1;702/99;165/42, 58, 27, FOR101, DIG6;123/41.01, 41.05, 41.12, 41.13, 41.15, 350, 359, 378;73/114.68, 114.77;701/34, 97;60/272, 277, 286, 320;702/130)![CCLS] and (oil temperature)) and (automatic transmission)	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		01-25-2011
(fault or failure or malfunction$3 or integrity or quality or dislodg$4 or deteriorat$3 or adeing or aging or wear or fatique or leak$3 or defect$3 or abnormal$4 or $4function$4) same (sens$3 or detect$3 or probe or pyrometer or transducer or meter$3 or monitor$3 or gauge or thermocouple or thermistor or RTD or thermal resist$4)	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		01-25-2011
((fault or failure or malfunction$3 or integrity or quality or dislodg$4 or deteriorat$3 or adeing or aging or wear or fatique or leak$3 or defect$3 or abnormal$4 or $4function$4) same (sens$3 or detect$3 or probe or pyrometer or transducer or meter$3 or monitor$3 or gauge or thermocouple or thermistor or RTD or thermal resist$4)) and ((374/4, 44, 45, 57, 29, 30, 134, 135, 137, 141, 142, 39, 40, 100, 144, 112, 115, 148, 5, 166, 1;702/99;165/42, 58, 27, FOR101, DIG6;123/41.01, 41.05, 41.12, 41.13, 41.15, 350, 359, 378;73/114.68, 114.77;701/34, 97;60/272, 277, 286, 320;702/130)![CCLS] and (oil temperature) and	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		01-25-2011

(automatic transmission))					
(engine) and (oil temperature) and (vehicle)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		02-11-2011
374/$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		02-11-2011
(374/$.ccls.) and ((engine) and (oil temperature) and (vehicle))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		02-11-2011
(701/34, 62, 31)![CCLS]	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		02-11-2011
((701/34, 62, 31)![CCLS]) and ((engine) and (oil temperature) and (vehicle))	PGPB, USPT, USOC, EPAB, JPAB	ADJ	YES		02-11-2011